

INTRODUCING THE NEW



NOW IN STOCK!

MR. POINTY

TUNGSTEN GRINDER



Techniweld USA TIG Star™ MR. POINTY is an enclosed tungsten grinder, which significantly reduces harmful tungsten dust exposure to both the user and the environment. Properly ground tungstens improve arc starting and stability, reduce tungsten shedding, increase tungsten life and enhance welding consistency.

NEW MR. POINTY FEATURES:

- Adjustable head! Grinding Discs Last 3 X LONGER!!!
- 3 position adjustment. Each position allows for grinding on a different area of the grinding disc
- Mr. Pointy Tungsten Grinder has the ability to grind away contaminated tungsten unlike other more expensive grinding machines
 - 110 Volt Enclosed Tungsten Grinder
 - Never have to worry about porosity or contaminated electrodes with this portable tungsten grinder
 - Create stronger, better looking welds with this tool while saving yourself time and money!
 - Increase performance with greater arc control when working
 - More precise sharpening than a typical bench grinding wheel
 - Multiple diameters and possible angle positions when grinding to create the perfect point you need!
 - Built in dust cap to minimize dust exposure
 - Perfect sharpening tool for professionals, students, and hobbyists

ITEM# TSMRPOINTY

MR. POINTY REPLACEMENT PARTS:



ITEM#
TSMRPOINTYBRUSH
CARBON BRUSH



ITEM#
TSMRPOINTYDISC
GRINDING DISC



ITEM#
TSMRPOINTYPLATE
ANGLE PLATE



ITEM#
TSMRPOINTYCAP
DUST CAP



ITEM#
TSMRPOINTYGASKET
REPLACEMENT GASKET

TUNGSTEN-ELECTRODES

1% LANTHANATED (BLACK)

ITEM NAME	TYPE	DIAMETER	LENGTH	TUNGSTEN/PK
TU1L0627	1% Lanthanated	0.0625"	7"	10
TU1L0937	1% Lanthanated	0.09375"	7"	10
TU1L1257	1% Lanthanated	0.125"	7"	10
TU1L1567	1% Lanthanated	0.157"	7"	10




1.5% LANTHANATED (GOLD)

ITEM NAME	TYPE	DIAMETER	LENGTH	TUNGSTEN/PK
TU15L0627	1.5% Lanthanated	0.0625"	7"	10
TU15L0937	1.5% Lanthanated	0.09375"	7"	10
TU15L1567	1.5% Lanthanated	0.156"	7"	10



2% LANTHANATED (BLUE)

ITEM NAME	TYPE	DIAMETER	LENGTH	TUNGSTEN/PK
TU2L0627	2% Lanthanated	0.0625"	7"	10
TU2L0937	2% Lanthanated	0.09375"	7"	10
TU2L1257	2% Lanthanated	0.125"	7"	10



1% THORIATED (YELLOW)

ITEM NAME	TYPE	DIAMETER	LENGTH	TUNGSTEN/PK
TU1T0407	1% Thoriated	0.04"	7"	10
TU1T0937	1% Thoriated	0.09375"	7"	10



TUNGSTEN-ELECTRODES

2% THORIATED (RED)

ITEM NAME	TYPE	DIAMETER	LENGTH	TUNGSTEN/PK
TU2T0407	2% Thoriated	0.04"	7"	10
TU2T0623	2% Thoriated	0.0625"	3"	10
TU2T0627	2% Thoriated	0.0625"	7"	10
TU2T0937	2% Thoriated	0.09375"	7"	10
TU2T1257	2% Thoriated	0.125"	7"	10
TU2T1567	2% Thoriated	0.158"	7"	10
TU2T18718	2% Thoriated	0.19"	18"	10
TU2T1877	2% Thoriated	0.191"	7"	5
TU2T2507	2% Thoriated	0.25"	7"	5



PURE (GREEN)

ITEM NAME	TYPE	DIAMETER	LENGTH	TUNGSTEN/PK
TUP0627	Pure	0.0625"	7"	10
TUP0937	Pure	0.09375"	7"	10
TUP1257	Pure	0.125"	7"	10
TUP1567	Pure	0.159"	7"	10
TUP1877	Pure	0.192"	7"	5



SUPER BLEND (PURPLE)

ITEM NAME	TYPE	DIAMETER	LENGTH	TUNGSTEN/PK
TUE30627	Super Blend	0.0625"	7"	10
TUE30937	Super Blend	0.09375"	7"	10
TUSB0627	Super Blend	0.0625"	7"	10
TUSB0937	Super Blend	0.09375"	7"	10
TUSB1257	Super Blend	0.125"	7"	10
TUSB1567	Super Blend	0.16"	7"	10



TUNGSTEN—ELECTRODES

2% CERIATED (GRAY)

ITEM NAME	TYPE	DIAMETER	LENGTH	TUNGSTEN/PK
TU2C0407	2% Ceriated	0.04"	7"	10
TU2C0627	2% Ceriated	0.0625"	7"	10
TU2C0937	2% Ceriated	0.09375"	7"	10
TU2C1257	2% Ceriated	0.125"	7"	10
TU2C1877	2% Ceriated	0.188"	7"	10



0.3% ZIRCONIATED (BROWN)

ITEM NAME	TYPE	DIAMETER	LENGTH	TUNGSTEN/PK
TUZ0627	Zirconiated	0.0625"	7"	10
TUZ0937	Zirconiated	0.09375"	7"	10
TUZ1257	Zirconiated	0.125"	7"	10
TUZ1567	Zirconiated	0.161"	7"	10
TUZ1877	Zirconiated	0.193"	7"	5



CONTACT YOUR SALES REPRESENTATIVE FOR MORE INFORMATION

TECHNIWELD USA WWW.TWUSA.COM